Title: Measuring Global Water Security towards Sustainable Development Goals

Authors: Animesh K. Gain¹*, Carlo Giupponi², Yoshihide Wada^{3,4,5,6}

Affiliations:

¹GFZ German Research Centre for Geosciences, Section 5.4 Hydrology, Telegrafenberg, 14473 Potsdam, Germany.

²Department of Economics, Venice Centre for Climate Studies, Ca' Foscari University of Venice, Cannaregio, 873 Venice, Italy.

³NASA Goddard Institute for Space Studies, New York, USA

⁴Center for Climate Systems Research, Columbia University, New York, USA

⁵Department of Physical Geography, Utrecht University, Utrecht, The Netherlands

⁶International Institute for Applied Systems Analysis, Laxenburg, Austria

*Correspondence to: +49 3312881564; Fax: +49 3312881570 email-address: animesh.gain@gfz-potsdam.de (A.K. Gain)

Supplementary Materials:

Figure S1#Assessment of water scarcity (monthly mean of 2010);



Figure S2 #Groundwater Depletion Index;



Figure S3 #Drought Index;



Figure S4 #Desert identification through aridity class. Class I and II represent high desert prone area;



Figure S5 #Aggregated (through masking out aridity class 1 and 2, which are desert) Drought index;



Figure S6 #Water quality index







Figure S8 #Worldwide Governance Index





Figure S9 #Transboundary legal framework Index

Figure S10 #Transboundary political tension index



Figure S11 #Differences between OWA Pessimistic approach with provided weight (Table 2) and with equal weights $(Pes - Pes_e)$



Figure S12 #Differences between OWA Pessimistic approach and Simple Additive Weighting (Pes – SAW)



Figure S13 #Differences between OWA Pessimistic approach(Risk Averse decision maker) and OWA optimistic approach (Risk Taker decision maker)(Pes – Opt)

