

Regional Environmental Change

Loss and damage in the mountain cryosphere

--Manuscript Draft--

Manuscript Number:	REEC-D-18-00038R2	
Full Title:	Loss and damage in the mountain cryosphere	
Article Type:	Review	
Keywords:	mountain cryosphere; climate change impacts; loss and damage; risks	
Corresponding Author:	Christian Huggel University of Zurich SWITZERLAND	
Corresponding Author Secondary Information:		
Corresponding Author's Institution:	University of Zurich	
Corresponding Author's Secondary Institution:		
First Author:	Christian Huggel	
First Author Secondary Information:		
Order of Authors:	Christian Huggel	
	Veruska Muccione	
	Mark Carey	
	Rachel James	
	Christine Jurt	
	Reinhard Mechler	
Order of Authors Secondary Information:		
Funding Information:	Direktion für Entwicklung und Zusammenarbeit (Proyecto Glaciares)	Dr. Christian Huggel
	Schweizerischer Nationalfonds zur Förderung der Wissenschaftlichen Forschung (AguaFuturo)	Dr. Christian Huggel
Abstract:	<p>The mountain cryosphere, which includes glaciers, permafrost and snow, is one of the Earth's systems most strongly affected by climate change. In recent decades, changes in the cryosphere have been well documented in many high-mountain regions. Whilst there are some benefits from snow and ice loss, the negative impacts, including from glacier lake outburst floods, and variations in glacier runoff, are generally considered to far outweigh the positive impacts, particularly if cultural impacts are considered. In international climate policy, there has been growing momentum to address the negative impacts of climate change, or 'loss and damage' (L&D) from climate change. It is not clear exactly what can and should be done to tackle L&D, but researchers and practitioners are beginning to engage with policy discussions and develop potential frameworks and supporting information. Despite the strong impact of climate change on the mountain cryosphere, there has been limited interaction between cryosphere researchers and L&D. Therefore, little work has been done to consider how L&D in the mountain cryosphere might be conceptualized, categorized and assessed. Here we make a first attempt to analyze L&D in the mountain cryosphere by conducting a systematic literature review to extract L&D impacts and examples from existing literature. We find that L&D is a global phenomenon in the mountain cryosphere and has been more frequently documented in the developing world, both in relation with slow and sudden onset processes. We develop a categorization of L&D, making distinctions between physical and societal impacts, primary and secondary impacts,</p>	

	and identifying seven types of L&D (including L&D to culture, livelihoods, revenue, natural resources, life, and security). We hope this conceptual approach will support future work to understand and address L&D in the mountain cryosphere.
Additional Information:	
Question	Response
Has your submission been invited to a special issue currently in preparation for this journal?	Yes
Please select the special issue your manuscript belongs to. as follow-up to "Has your submission been invited to a special issue currently in preparation for this journal?"	S.I. : SROCC (Huggel)
If yes, please ensure that your submission occurs according to the approved plans of the respective guest editors. If this is the case, please give the title of the Special Issue and the name of the editors you have been in contact with here.	SI SROCC, Ben Orlove
Author Comments:	After our exchange on the language issue we have thoroughly gone once more through the manuscript and edited where considered necessary or appropriate. We have also corrected the abbreviations and small edits in the figures and table (caption). Thanks for your help on this.

1
2
3
4 1 **Title: Loss and damage in the mountain cryosphere**

5 2
6 3
7 3 **Authors:** Christian Huggel^{1,*}, Veruska Muccione¹, Mark Carey², Rachel James^{3,4}, Christine Jurt^{1,5}, Reinhard
8 Mechler⁶
9 4

10 5
11 6
12 *corresponding author

13 7 ¹Department of Geography, University of Zurich, Winterthurerstrasse 190, CH-8057 Zurich, Switzerland,
14 8 email: christian.huggel@geo.uzh.ch, tel: +41 44 6355175 / (veruska.muccione@geo.uzh.ch)

15 9 ²Robert D. Clark Honors College and Environmental Studies Program, University of Oregon, USA
16 10 (carey@uoregon.edu)

17 11 ³Environmental Change Institute, University of Oxford, Oxford OX1 3QY, UK (rachel.james@eci.ox.ac.uk)

18 12 ⁴Department of Oceanography, University of Cape Town, Cape Town 7701, South Africa.

19 13 ⁵Bern University of Applied Sciences, Bern, Switzerland (christine.jurt@bfh.ch)

20 14 ⁶International Institute for Applied Systems Analysis IIASA, Laxenburg, Austria (mechler@iiasa.ac.at)

21 15

22 16

23 17

24 18

25 19

26 20

27 21

28 22

29 23

30 24

31 25

32 26

33 27

34 28

35 29

36 30

37 31

38 32

39 33

40 34

41 35

42 36

43 37

44 38

45 39

46 40

47 41

48 42

49 43

Abstract

The mountain cryosphere, which includes glaciers, permafrost and snow, is one of the Earth's systems most strongly affected by climate change. In recent decades, changes in the cryosphere have been well documented in many high-mountain regions. Whilst there are some benefits from snow and ice loss, the negative impacts, including from glacier lake outburst floods, and variations in glacier runoff, are generally considered to far outweigh the positive impacts, particularly if cultural impacts are considered. In international climate policy, there has been growing momentum to address the negative impacts of climate change, or 'loss and damage' (L&D) from climate change. It is not clear exactly what can and should be done to tackle L&D, but researchers and practitioners are beginning to engage with policy discussions and develop potential frameworks and supporting information. Despite the strong impact of climate change on the mountain cryosphere, there has been limited interaction between cryosphere researchers and L&D. Therefore, little work has been done to consider how L&D in the mountain cryosphere might be conceptualized, categorized and assessed. Here we make a first attempt to analyze L&D in the mountain cryosphere by conducting a systematic literature review to extract L&D impacts and examples from existing literature. We find that L&D is a global phenomenon in the mountain cryosphere and has been more frequently documented in the developing world, both in relation with slow and sudden onset processes. We develop a categorization of L&D, making distinctions between physical and societal impacts, primary and secondary impacts, and identifying seven types of L&D (including L&D to culture, livelihoods, revenue, natural resources, life, and security). We hope this conceptual approach will support future work to understand and address L&D in the mountain cryosphere.

Keywords: mountain cryosphere, climate change impacts, loss and damage, risks

Length of manuscript: 7781 words, plus 3 figures.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

40 **1 Introduction**

41
42 The mountain cryosphere is one of the Earth’s systems most strongly affected by climate change. Glaciers
43 have been receding and shrinking worldwide over recent decades, permafrost is thawing and snow lines
44 are rising (IPCC 2014). Much of this change is irreversible under current climate change scenarios of
45 ongoing warming over the next century. Cryosphere change implies a suite of impacts on natural resources
46 such as water, on ecosystems, and eventually on a range of economic sectors such as agriculture,
47 hydropower or tourism (Huss et al. 2017; Vuille et al. 2017). Shrinking glaciers and thawing permafrost can
48 furthermore involve mass flow hazards, including landslides, ice and rock avalanches, or glacier lake
49 outburst floods with devastating consequences for downstream communities (Carrivick and Tweed 2016;
50 Haeberli et al. 2017). Many of these changes have negative impacts, even death in some cases, and involve
51 damage to and loss of natural systems and resources, economic productivity, cultures and traditions,
52 livelihoods and assets valued by people. This loss and damage is of increasing concern but has not been
53 addressed explicitly or substantively in mountain cryosphere research, policies, or planning.

54
55 Meanwhile, in international climate policy there has been increasing focus on ‘Loss and Damage’ (L&D)
56 from climate change. Since the creation of the UN Climate Framework Convention on Climate Change
57 (UNFCCC) in the early 1990s, the Alliance of Small Island States has been highlighting the need to address
58 L&D from climate change, particularly the impacts of sea level rise. At the time, they made a proposal for
59 an international insurance pool to compensate for L&D (Mace and Verheyen 2016). This proposal, and
60 subsequent calls for compensation, have been highly controversial in UNFCCC discussions. Nevertheless,
61 after several decades, countries agreed that there should be some discussion and consideration for how
62 to address L&D or the adverse impacts of climate change in developing countries particularly vulnerable
63 to climate change. This was signaled by the establishment of a work programme on L&D at the Conference
64 of Parties (COP) 16 in Cancun in 2010, as part of the broader Cancun Adaptation Framework (CAF). L&D
65 was considered to include impacts from extreme events and slow onset processes, and examples given
66 included impacts from cryosphere change such as glacier retreat. In 2013, the Warsaw International
67 Mechanism for Loss and Damage associated with Climate Change Impacts (WIM) was established at COP
68 19 under the CAF, again referring to impacts from slow onset and extreme events. Following COP 20 in
69 2014, the Executive Committee (ExCom) and the first workplan of the WIM were established. At COP 21
70 in 2015 in Paris, the issue of L&D continued to be much debated and contested. It therefore came as a
71 surprise to many observers that a separate article on L&D was established in the Paris Agreement (Article
72 8). The article specifies a number of areas of cooperation and facilitation to enhance understanding of and
73 action to address L&D, for instance in relation to irreversible L&D, slow onset processes, early warning
74 systems and risk management.

75
76 The WIM makes explicit reference to physical processes in the mountain cryosphere, identifying glacier
77 retreat and related impacts as a component of slow onset processes, and specifically mentioning impacts

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

78 such as erosion, mudslides, flooding and glacier lake outburst floods (GLOFs), reduction of runoff and
79 water shortages affecting ecosystems, hydropower, drinking water and human livelihoods (UNFCCC 2012).
80 The WIM’s ExCom has a mandate to promote understanding and implementation of actions to address
81 L&D, and has released several calls for inputs from researchers and practitioners, including on slow onset
82 processes. Therefore, there is a demand from policy-makers for information about L&D, including with
83 reference to the mountain cryosphere.

84
85 Researchers focusing on the cryosphere, and the socio-cryospheric system, encompassing societies
86 surrounding the mountain cryosphere (Carey et al. 2014), potentially have significant relevant evidence to
87 contribute to this emerging policy process. The understanding of cryospheric change has significantly
88 improved in recent years, thanks to modelling, monitoring and measuring efforts of physical processes
89 through both on-site fieldwork and remote sensing. Glaciers in particular are now extensively monitored
90 over large areas using satellite data as reflected by an impressively growing body of literature from all
91 parts of the world (Paul et al. 2013). Moreover, climate change impact research and social vulnerability
92 studies have produced a range of important evidence related to questions of L&D of the mountain
93 cryosphere. Examples include reported loss of lives due to glacier lake outburst floods (GLOF), ice and rock
94 avalanches (Carey 2005; Evans et al. 2009; Carrivick and Tweed 2016), or anthropological studies that have
95 examined how local (indigenous) people perceive and cope with the loss of glaciers and snow in the Andes
96 and the Himalayas (Byg and Salick 2009; Diemberger et al. 2015; Jurt et al. 2015a). However, L&D has
97 hardly been explicitly addressed in this wealth of research.

98 And in fact, both in research and policy, many aspects of L&D still remain largely unclear. Emerging
99 academic analyses of L&D have highlighted the importance of ambiguity for the establishment of L&D
100 policy (Vanhala and Hestbaek 2016). Discussions of L&D are often associated with calls for compensation,
101 which countries have very different views about, making the subject very controversial. As a result, the
102 text of the WIM and Article 8 of the Paris Agreement are rather vague. There is no definition of L&D, and
103 it is not clear, particularly from a scientific perspective, exactly what counts as ‘loss and damage from
104 climate change’ (James et al. 2014). For example, it is unclear whether UNFCCC L&D mechanisms only
105 apply to L&D that can be attributed to anthropogenic climate change. Boyd et al. (2017) highlight that,
106 whilst this flexibility in terminology is important politically, it is challenging for researchers and
107 practitioners wishing to support climate policy on L&D.

108
109 In this paper, we address this barrier between science and policy, by analyzing existing literature to identify
110 examples of L&D in the mountain cryosphere, and developing a framework for categorizing L&D which
111 could be used in future research. While there remain unclear aspects of L&D, and different perspectives
112 on how L&D should be addressed (Boyd et al. 2017), there is nevertheless a growing body of literature
113 which conceptualizes L&D (e.g. Warner and van der Geest 2013; Okereke et al. 2014), including permanent
114 or irreversible loss, or non-economic loss (Serdeczny et al. 2018). We draw on this literature to identify
115 and categorize L&D in the mountain cryosphere. Our study is intended to provide evidence for

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

116 policymakers about L&D in the cryosphere, and develop a framework for future researchers to contribute
117 further evidence. It could also generate an example for researchers of other systems which experience
118 L&D from climate change, for example in coastal regions, of a framework to collate information for L&D
119 policy.

120
121 To achieve these goals, we conducted a systematic literature review and analysis. While we do not
122 envisage this review to be complete or fully comprehensive, we expect new insights and understanding of
123 negative impacts in the mountain cryosphere under a L&D perspective. To prepare the ground for
124 identifying the types of L&D in the mountain cryosphere and to situate them in the broader L&D debate,
125 we start by revisiting the discussions on L&D policy and approaches to define and categorize L&D. We then
126 present the methods and results of the literature review, and propose a conceptual approach to support
127 a more systematic understanding of processes and causal factors driving L&D in the mountain cryosphere,
128 in order to facilitate progress in L&D policy and research. We envisage the audience of this paper to be
129 both cryosphere and L&D researchers across the natural and social sciences, as well as interested
130 policymakers, planners, or diplomats (e.g. negotiators under the UNFCCC), and have designed the paper
131 to bridge these different fields.

132
133
2 Loss and damage debate and approaches

136
137 Given the limited attention to L&D in the mountain cryosphere, it is necessary to provide a summary of
138 the L&D discourse and approaches to prepare the field for a better understanding and placement of the
139 mountain cryosphere within the larger L&D debate. The issue of L&D can be confusing for researchers and
140 practitioners (Boyd et al. 2017), in part because of the ambiguous nature of L&D policy texts (Vanhala and
141 Hestbaek 2016). The controversy surrounding the topic also makes it difficult to have open conversations
142 in the policy space, and discussing science can be challenging.

143 The contentious nature of the topic is perhaps unsurprising. The question of how to deal with L&D from
144 human-induced climate change raises uncomfortable questions about historical responsibility (Calliari
145 2016), and the potential for liability. The issue has often been characterized as a point of intense
146 disagreement between developed and developing countries. Vanhala and Hestbaek (2016) describe how
147 the L&D debate evolved, with two important frames: one on compensation and liability for L&D, and one
148 on promoting risk management and insurance to address L&D. Under the WIM and Paris Agreement, these
149 have been integrated into one master frame, but only through ambiguity (Vanhala and Hestbaek 2016). It
150 is also worth noting that the decision text accompanying the Paris Agreement explicitly states that Article
151 8 does not provide a basis for any liability or compensation, yet some legal analysts suggest that this still
152 leaves ‘all options open’ (Mace and Verheyen 2016).

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

154 Despite progress in L&D policy, the creation of Article 8 does not indicate that there is clarity for defining
155 and understanding L&D. Important elements of disagreement between developing and developed nations
156 remain, including the positioning of L&D with respect to adaptation, associated ethical, legal and scientific
157 arguments, and the embedding of L&D in the contested discourse about historical and differentiated
158 responsibilities (Calliari 2016). Concerning adaptation, the debate centers on the question whether L&D
159 mechanisms are part of or distinct from adaptation. Some authors suggest that L&D refers to impacts that
160 have not been avoided through mitigation and adaptation (Warner and van der Geest 2013; Okereke et
161 al. 2014), and therefore L&D mechanisms should address impacts ‘beyond adaptation’ or ‘residual risks’.
162 Others, including developed country negotiators, have suggested that all L&D can be dealt with through
163 mitigation and adaptation, and there is thus no grounds for additional actions to deal with loss (Boyd et
164 al. 2017). In the Paris Agreement, L&D is now anchored in an article separate from adaptation but this has
165 not necessarily solved the discord, with distinction in emphasis between those who focus on preventing
166 L&D through climate risk management, and those who emphasize actions to deal with L&D which cannot
167 be avoided (Boyd et al. 2017). Ethical aspects of the debate are concerned with different types of
168 responsibilities and fairness but also how to deal with non-economic L&D (NELD). Legal issues refer to
169 government responsibility and liability for L&D, often related to claims of compensation (Huggel et al.
170 2016b; Lees 2017). The science of attribution of climate change and extremes, and more recently of their
171 impacts, to anthropogenic emissions has a role in this debate, and has been promoted or even
172 instrumentalized for this purpose by different representatives of the debate, leading to a certain
173 politicization of science (James et al. 2014, 2018).

174
175 In spite of these unresolved issues, an increasing number of UNFCCC texts and research papers have
176 generated progress in understanding several aspects of L&D. The UNFCCC, based on the CAF, refers to the
177 impacts associated with the adverse effects of climate change including both impacts from extreme events
178 and slow onset processes (UNFCCC 2013). Impacts, mitigation, adaptation and L&D are thereby inherently
179 linked and dependent in the sense that stronger mitigation and adaptation reduce the cost or magnitude
180 of L&D, although not in a linear way. One commonly-cited framework for understanding L&D builds on the
181 mitigation-adaptation nexus suggesting a distinction between avoided, unavoided and unavoidable L&D
182 (Verheyen and Roderick 2008; Verheyen 2012). Avoided L&D refers to climate change impacts which do
183 not lead to negative outcomes due to commensurate adaptation and risk reduction measures put in place.
184 Unavoided L&D refers to impacts that could have been avoided had additional, better or more effective
185 adaptation measures been implemented. Consequently, unavoidable L&D are impacts that could not been
186 avoided by adaptation (or mitigation). Examples include effects related to sea level rise or glacier melt that
187 cannot be adequately addressed by adaptation. This means that the actual unavoidable L&D relates to i)
188 level of efforts of mitigation, and ii) the extent to which adaptation is implemented and effective.
189 Unavoided and unavoidable L&D may also be termed residual L&D (Verheyen 2012).

190 Boyd et al. (2017) identified a typology of four perspectives on L&D based on interviews with stakeholders
191 to the L&D discussions, from research, policy and practice. The typology represents a continuum from (i)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

192 the perspective that L&D can be dealt with through adaptation and mitigation, to (ii) an emphasis on
193 integrated management of all climate-related risk, to (iii) a focus on understanding L&D beyond the limits
194 of adaptation, and (iv) an emphasis on addressing the inevitable harm which climate change will impose
195 on vulnerable countries and people, including irreversible and non-economic losses.

196
197 At the level of the UNFCCC, the Executive Committee of the WIM defined nine action areas in its initial
198 two-year workplan established at COP20 in 2014 in Lima. Action areas 3 and 4 address dimensions of L&D
199 where more evidence and understanding is required, i.e. slow-onset processes and non-economic losses,
200 respectively. Note that the UNFCCC refers to slow-onset events but we adopt here the term slow-onset
201 processes, which we consider a more appropriate description of slowly evolving or cumulative processes.
202 In its Action Area 3, the WIM defined eight slow-onset processes and related risks, namely rising
203 temperatures, desertification, loss of biodiversity, land and forest degradation, glacier retreat and related
204 impacts, ocean acidification, sea level rise and salinization.

205 NELD (WIM Action Area 4) has been proposed to refer to impacts which are not accounted for in the formal
206 process of L&D accounting, drawing on anthropological work which demonstrates that often formal
207 measurement does not capture the aspects of life that people value the most (Morrissey and Oliver-Smith
208 2013). NELD thus comes into play where the value of loss is unknown or difficult to measure. Limited
209 understanding of the value of loss refers to the fact that value is socially and culturally constructed and
210 thus varying according to context. For instance, the value given to (the loss of) glaciers, water resources,
211 ecosystems or human lives may significantly vary between and within cultural, social, economic and
212 political contexts of the Andes, Central Asia, or Europe. Tschakert et al. (2017) emphasize the importance
213 of adopting a value based perspective on L&D, where what people value is central, as well as what they
214 decide to preserve and what to let go, or in other words, what they perceive as an acceptable and
215 unacceptable loss.

216 For economists a common characteristic of NELD is that it is not traded on the market. Fankhauser et al.
217 (2014) suggest that NELD occurs in three distinct areas: private individuals, society and the environment.
218 The UNFCCC distinguishes loss of life, health, human mobility, territory, cultural heritage, indigenous
219 knowledge, biodiversity and ecosystem services (UNFCCC 2013), while Serdeczny et al. (2016) additionally
220 consider human life and identity, among other forms of NELD. Tschakert et al. (2017), however, are critical
221 of static lists of (non-) economic L&D and propose a more dynamic framework as a function of what people
222 value in their daily lives and the magnitude of climate change impacts.

223
224 An additional category relevant to the mountain cryosphere is irreversible L&D (as also mentioned in the
225 Paris Agreement), including for instance the loss of glaciers as a landscape element, cultural identity, or
226 freshwater reserves (Huggel et al. 2016a). Furthermore, GLOFs and different types of avalanches can all
227 cause irreversible loss of human lives.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

230

3 A systematic literature review of loss and damage in the mountain cryosphere

232

Methodological approach

The previous section revealed a considerable variety of conceptual approaches to L&D, including a number of proposed categories referring to both natural and human systems. Comparably little evidence and research exists, however, that track L&D in reality based on specific natural or social processes.

In this study a core interest is precisely to better understand where L&D related to the mountain cryosphere is occurring and where and how it is documented. We are also interested in piecing together the status of knowledge on the societal impacts of climate change resulting from cryosphere changes and to understand to what extent they can fit within the various perspectives and typologies of the L&D discourses introduced in the previous section. We therefore conducted a systematic review of the scientific literature on current knowledge on cryosphere related impacts to human systems. Laurans et al. (2013, p. 209) define systematic review as “a process through which one methodically chooses a sample of works, extracts the targeted information and reports the results with transparency on the methods that were used at each step”. Systematic reviews illustrate the state of knowledge on a given topic and highlight gaps as well as future directions in research (Ford and Pearce 2010). Following a similar procedure described by McDowell et al. (2014) on adaptation in glaciated mountain regions, we examine the peer-reviewed English literature published between January 2013 and 2017. We chose 2013 for the cut-off date of our papers as the year the WIM on L&D of the UNFCCC was officially launched. A test search including time periods before 2013 showed that the majority of papers mentioning L&D were in fact published after 2013. We decided to focus only on peer-reviewed publications because they provide well-informed, robust knowledge and have a rather uniform structure. Keyword searches were performed in the literature databases Scopus and ISI Web of Knowledge. We searched for articles by applying iteratively different combinations of keywords, namely: 1) Glacier Change and Climate Change; 2) Glacier Change and Impacts; 3) Damage and Glacier and Climate Change. This search returned a total of 178 papers between 2013 and 2017. To this initial result, we applied a number of selection criteria. Inclusion and exclusion criteria were defined as follows: 1) we included articles that explored the whole chain from primary physical events in the mountain cryosphere, to secondary (bio-physical) impacts, and associated societal L&D; 2) we excluded papers focusing only on monitoring, observations and/or modelling of glacier processes and changes; 3) papers were also excluded if they focused primarily on impacts of glacier changes on natural ecosystems without discussing any human/societal impacts; 4) we excluded papers exploring the cryosphere changes with other processes and in other environments such as Arctic sea-ice, Greenland and Antarctica ice sheets and consequent sea level rise; 5) we also excluded book chapters. Furthermore, to maintain a sharper focus, we concentrated on impacts related to glacier shrinkage and permafrost degradation and did not consider snow-related negative effects. Snow has a strong seasonal character and its importance extends far beyond high-mountain regions, which are the focus of our study.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

267 We performed cross checks between the three searches, with a first selection based on the above defined
268 inclusion/exclusion criteria resulting in only 33 papers, which fully responded to our search criteria.
269 Furthermore, we performed a final search with the keywords: Permafrost and Mountains and Climate
270 Change. This search returned a total of 79. However, we noticed that the bulk of the papers focused on
271 describing processes and physical impacts. We also noticed that several papers had already previously
272 been selected. Hence, we added only 8 additional papers and a total of 41 papers which were retained for
273 the final analysis.

274 A detailed overview of our search protocol with the inclusion/exclusion criteria is provided in Table S1 of
275 the supplementary material. With the selected material we performed a full text read and classified
276 information based on a questionnaire and a coding strategy to allow for standardization and replication of
277 the results (McDowell et al. 2014). Since we are interested in understanding where and how L&D is
278 happening and how it relates to the concepts introduced in Section 2, we used the following questions to
279 guide us in the document analysis:

- 280 281 1. What is the geographical scope of the study?
- 282 283 2. Which processes are explored in the paper, in particular slow-onset and sudden-onset processes or
284 285 both?
- 286 287 3. What are the human impacts and related L&D resulting from the (bio-) physical impacts related to
288 289 cryosphere change?
- 290 291 4. Which categories of L&D can be identified in the paper, and how do they refer to the concept of
292 293 avoided, unavoided, or unavoidable L&D?
- 294 295 5. How does the paper discuss actions to address those impacts and L&D?

296 L&D as such is not reported in the literature we analyzed, and therefore we refer here also to the term
297 impacts and investigate how these impacts can be framed in terms of L&D. To address question 2, we
298 looked in the papers at both biophysical impacts in terms of slow-onset processes, such as changes in
299 water runoff and seasonal water availability, as well as sudden-onset processes related to slope instability
300 and outburst floods from glacier lakes. To address question 3, we selected from each paper the
301 corresponding text describing the human impacts as close as possible to the notion of L&D and reported
302 the result in a qualitative fashion. We performed an open coding of the selected text to try to identify
303 categories and relations within the data. This approach is routinely used in document analysis in order to
304 detect patterns and organize the data into categories (Saldaña 2015). Based on the logic of content
analysis, we defined the themes or categories in the process of going through the selected texts. Such
categories are defined based on the research questions with the objective to extract the elements of
interest out of the multitude of data available (Mayring 2014). This process facilitates the allocation of
texts from the passage in the documents to the corresponding categories. Hence, categories are
established and refined before (deductive) and during the coding process (inductive). In a final step, we
grouped categories to have a more structured and reduced number of categories for the purpose of

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

305 outlining the main results. We claim that the process of coding cannot be fully objective, but it is guided
306 by the research questions, the assumptions as well as the possible interpretations of the data.
307 Question 4 was addressed respectively by applying the typology of impacts introduced in section 2, i.e.
308 avoided, unavoided and unavoidable (Verheyen and Roderick 2008; Verheyen 2012). To answer these
309 questions, we worked first deductively and extracted from the text passages that could be attributed to
310 one or more of the three typologies of L&D. In the analysis of the raw material we also noted that a number
311 of passages in the text required the identification of an additional category, and in this case we worked
312 inductively to define the category of avoidable L&D from the raw material. This category is used to
313 categorize impacts that could be avoided in the future. Finally, to address question 5, we analyzed the
314 literature for types of actions and response to the described impacts or L&D.

315
316
317 Results

318 We first examined the geographic distribution of the publications per mountain range (Fig. 1).
319 Interestingly, the highest number of documented L&D does not come from Europe and North America,
320 which are typically the best documented regions in terms of climate change impacts (Huggel et al. 2016b).
321 Instead, the highest concentration is found in the Andes (18) and Greater Himalaya ranges (17), followed
322 by the Central Asia/Chinese mountains and the European Alps. Only a handful of papers focus on other
323 mountain ranges, such as the North American Rockies and Scandinavian mountains. In general, we notice
324 that none of the papers referred to the L&D mechanism explicitly or hinted in any way at the discussion
325 surrounding L&D.

326
327 Almost half of the papers analyzed mention slow-onset processes (18), including mainly hydrology related
328 processes such as changes in river runoff, surface and underground water availability. A small number of
329 papers refer to the physical alterations of the landscape due to glacier retreat as well as changes in
330 ecosystem processes, habitats and biodiversity. The other bulk of the papers (17) focus on sudden and
331 slow-onset processes together, and only five papers focus on sudden-onset events only. The sudden-onset
332 events most addressed in the publications are GLOFs, with about one-fourth of all papers specifically
333 concerned with GLOFs. Although GLOFs as such are a sudden-onset process, in many cases they can be
334 classified under both slow and sudden-onset because a GLOF is typically the results of glacier retreat and
335 lake formation, which is a slow-onset process. Other sudden-onset events include different landslide and
336 mass flow processes, such as rock falls, debris flows and ice avalanches, related to glacier and permafrost
337 processes and changes (Haeberli et al. 2017).

338
339 Following the coding and categorization described in the previous section, we grouped the socio-economic
340 impacts under the following categories, which emerged inductively and deductively: 1) cultural L&D; 2)
341 L&D to livelihoods; 3) L&D to productivity and revenue; 4) L&D to natural resources; 5) loss of lives; 6) loss
342 of security and social order; 7) damage to people and assets. A more detailed discussion on the categories

1
2
3
4 343 is provided further below in the analysis of the results and in Table 1. Per each category, we report on the
5
6 344 impacts as discussed in the different papers. Our categories include both economic and non-economic
7
8 345 L&D, but it is notable that more categories of NELD than economic L&D emerged (five versus two). Most
9
10 346 of our NELD categories capitalize on conceptual approaches by Fankhauser et al. (2014), except the loss of
11
12 347 and damage to livelihoods, and the loss of security and social order. L&D to livelihoods was introduced as
13
14 348 a distinct category from L&D to productivity and revenue, as we noticed that in several papers impacts
15
16 349 were discussed more in relation to the resource basis upon which small and rural communities depend,
17
18 350 and less in terms of economic impacts to sectors and large societies. Examples of L&D to livelihoods are
19
20 351 given, amongst others, in Beniston et al. (2014), Allison (2015), Jurt et al. (2015b). The category of ‘loss of
21
22 352 security and social order’ emerged as a distinct category possibly because of a tendency in the recent
23
24 353 literature to link the intensification of biophysical impacts resulting from climate change to the emergence
25
26 354 of conflicts and reduced social order. For example, Rangelcroft et al. (2016) discuss the impact of
27
28 355 permafrost thawing on water supplies for the large urban centres of El Alto and La Paz in Bolivia. Pre-
29
30 356 existing water stresses in these cities could be amplified as a result of climate change and growing
31
32 357 populations, eventually leading to long-term disruptions in social systems. A similar argument is touched
33
34 358 upon by Thorsteinsson et al. (2013) in an analysis of the consequences of runoff changes in the
35
36 359 mountainous regions of Central Asia. They conclude that dispute over water availability between India and
37
38 360 Pakistan could lead in the future to potential threat to security and peace in the region.

31 361
32
33 362 Figure 2 shows the relation between the different categories of L&D and the type of event (e.g. sudden
34
35 363 and slow-onset processes and combinations thereof). The category with the highest number of papers is
36
37 364 damage to and loss of natural resources, followed by L&D to productivity and revenue. It is interesting to
38
39 365 note that these two categories are referred to by a similar number of papers with slow-onset processes
40
41 366 and combined sudden and slow-onset processes, but by none with sudden-onset events only. The only
42
43 367 reported categories of impacts associated with sudden-onset events are loss of lives and damage to
44
45 368 people, infrastructure and assets.

43 369 At a further stage, we looked into the type of L&D. More than half of the papers discuss potential future
44
45 370 impacts that are yet to be realized, often hinting at a number of strategies to address such impacts. The
46
47 371 majority of papers (28) fall into our new category of avoidable L&D, while a similar number of papers can
48
49 372 be associated with unavoided (13) and unavoidable (12) L&D, and only a minimal number with avoided
50
51 373 L&D (2); 12 papers were not associated with a particular category. Verheyen (2012) suggests that glacier
52
53 374 melting as a physical slow-onset change belongs to the category of unavoidable. Due to the delayed
54
55 375 response of glaciers to climatic changes, glaciers will in fact continue to shrink for some defined future
56
57 376 time period, even if further warming could be prevented (Johannesson et al. 1989). However, several
58
59 377 studies have found that low-emission versus high-emission scenarios make very significant differences for
60
61 378 mountain glaciers, as demonstrated with regional-scale studies for the Andes and Asia (Schauwecker et al.
62
63 379 2017; Kraaijenbrink et al. 2017) and with global-scale analyses (Marzeion et al. 2018). However, while
64
65 380 further glacier shrinkage and melt is unavoidable, the impacts of such melting on humans and the

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

381 consequent L&D could still be averted through appropriate measures such as risk management and
382 adaptation. Our category of avoidable L&D refers to this logic and encompasses the corresponding
383 evidence found in the analyzed papers.

384 Finally we investigated how the papers discussed actions to address impacts and L&D. About half of the
385 papers highlighted adaptation actions which might be needed to prepare for cryospheric change. A fourth
386 of the papers also stated the importance of risk management and insurance as a response, e.g. to deal
387 with risk of flooding. A minority (10%) of the papers referred to more fundamental responses such as
388 migration and resettlement. One among four papers did not discuss responses.

391
392 **4 Discussion**

393
394 This study represents a first attempt to explicitly analyze the societal impacts of climate change in the
395 mountain cryosphere under a L&D framework. We performed our analysis starting from an overview on
396 the political context and the discourse surrounding L&D and its relation to the cryosphere, and then looked
397 more closely at the current literature by means of a systematic literature review.

398 Our main findings are: 1) mountain cryosphere research remains disconnected from the L&D discussion;
399 2) L&D in the mountain cryosphere is a global phenomenon, and the literature suggests that the
400 developing world is particularly affected; 3) seven distinct categories of L&D stand out as particularly
401 relevant to the mountain cryosphere; 4) a proposal for a more process- and system-based approach to
402 L&D in the mountain cryosphere is demonstrated, which offers a path for discussing possible implications
403 and opportunities for L&D policy and research.

404
405 Although the L&D discussion has gained significant pace in some research fields in recent years, and in
406 particular in global climate policy, our review indicates a clear disconnect between the cryosphere
407 mountain research community and the L&D approach. This is not necessarily surprising, given the recent
408 nature of L&D policy developments, but is potentially a missed opportunity, considering that the mountain
409 cryosphere is among the most sensitive Earth systems to climate change, where impacts of climate change
410 can be observed more clearly and over longer historical time periods than in many other systems. The
411 limited involvement of the mountain cryosphere research community in L&D discussions furthermore
412 implies that concepts of L&D have not been systematically analyzed and applied for these environmental
413 and associated human systems. The reference of official policy documents to specific geophysical changes,
414 including in the mountain cryosphere, remains vague, broadly referring to glacier retreat and related
415 impacts as seen above (UNFCCC 2012). This highlights the relevance of further conceptualization by
416 scientists, and our study should therefore be understood as a first attempt to frame the mountain
417 cryosphere impacts within the L&D discourse.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

419 Our study suggests that L&D in the mountain cryosphere is a global phenomenon and can be identified in
420 all major mountain ranges of the Earth. Contrary to earlier assessments of observed impacts of climate
421 change (across all systems) in the IPCC 5th Assessment Report (Cramer et al. 2014; Huggel et al. 2016b) our
422 literature sample reflects a higher number of L&D events reported in Non-Annex I (developing) countries
423 compared to Annex I (developed) countries. Whether this finding demonstrates that L&D is actually
424 occurring more frequently in the mountains of the developing world, or whether the existing literature
425 has simply studied and documented L&D in the developing world more often than in Annex I nations,
426 needs to be investigated in more depth. Indicators for the occurrence of L&D could be the size (area) of,
427 or the number of people living in the respective mountain region. The Himalayas are home to 286 million,
428 the Andes to 73 million people while the European Alps only host about 22 million people (numbers from
429 2012) (Stäubli et al. 2017).

430
431 Our literature review converged into the identification of seven different categories of L&D in the
432 mountain cryosphere. The categories include physical and non-physical, economic and non-economic L&D.
433 Especially the debate on NELD is attracting considerable interest in research and policy (Serdeczny et al.
434 2018). Up to five of our seven L&D categories identified can be termed NELD. Values play a key role in
435 NELD and are reflected in our category ‘cultural L&D’. To understand the relation of values to L&D in the
436 mountain cryosphere, it is helpful to consider that values provide meaning for the people in their world,
437 and shared meanings contribute to the understanding of people themselves in terms of who they are and
438 how they behave. Jurt et al. (2015a), for instance, found that people at three different sites (in Peru, Italy
439 and the US) are concerned about glacier retreat in terms of community, identity and self-reliance, yet in
440 different ways. Values allow groups to organize themselves at a collective level and are crucial for
441 collective answers to changes in the environment. If such meanings are inextricably given to physical
442 objects, such as glaciers, the loss of these objects also leads to a loss of meaning, and as such cultural
443 integration, traditions and identities might be impinged upon (Morrissey and Oliver-Smith 2013). Because
444 of the obvious and tangible loss in the case of glaciers, the mountain cryosphere offers a striking example
445 of NELD, which could have far-reaching implications for other systems and sites.

446 We specifically looked at how sudden-onset and slow-onset processes produce L&D, and found that
447 sudden-onset processes tend to result in physical damage to and/or loss of lives and assets while slow-
448 onset processes rather have impacts on a number of economic sectors or on social and cultural aspects of
449 human life. L&D related to sudden-onset processes can often be attributed to cryospheric (or related)
450 processes in a more direct causal relationship than can L&D related to slow onset processes. For instance,
451 loss (or reduction) of cultural and place-based identity may not only be driven by receding and
452 disappearing glaciers and snow but also by in- and out-migrating people, urbanization processes, or
453 generational changes in traditions (Jurt et al. 2015b).

454
455 The reflection on the type of processes resulting in L&D formed a basis to develop a more analytical and
456 process-based approach to understand L&D in the mountain cryosphere, where processes include both

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

457 physical and social aspects and dynamics. We therefore propose here the following conceptual approach:
458 in a nutshell and broadly in line with (Huss et al. 2017), we consider (1) primary physical processes in the
459 mountain cryosphere, (2) secondary (bio-) physical impacts (sudden and slow-onset), and finally (3)
460 associated societal effects where L&D typically materializes (Figure 3). The distinction of these three levels
461 of processes and impacts is useful to foster a comprehensive understanding of how observed L&D is
462 connected, driven and caused by climate and cryosphere change, but also how it is related to other factors
463 and developments (e.g. social, political, economic). We distinguish between the three mountain
464 cryosphere elements, i.e. glaciers, snow and permafrost. Changes in these cryosphere elements are
465 primarily of slow-onset type, representing cumulative and irreversible processes over the time horizon of
466 a warming climate, with glaciers continuously shrinking, thinning and retreating. Snow has a higher year-
467 to-year variability than glaciers and permafrost but over climatically relevant periods of about 30 years the
468 decreasing trends in snow cover extent and duration are clear (Vaughan et al. 2013).

469 The next level of bio-physical impacts distinguishes between sudden and slow-onset processes. A GLOF,
470 for example, is a sudden-onset process while change and loss of landscapes represent a slow process.
471 However, it is important to recognize that both slow and sudden processes overlay. A GLOF is a sudden
472 event occurring within minutes but is ultimately the result of much slower and cumulative processes of
473 glacier retreat and lake formation. The categories of slow and sudden-onset that are very widespread in
474 technical documents and language of global climate policy may thus not be appropriate for the mountain
475 cryosphere, and also not for processes in other systems such as coastal erosion in the Arctic (Huggel et al.
476 2015b). The third level of societal impacts of our concept contains L&D to people or to objects that people
477 value, economically, or non-economically. We included a few examples of L&D in Figure 3 which can be
478 grouped into the seven L&D categories defined based on the literature review above. The term 'loss' may
479 refer to full or partial loss, a distinction that is often not explicitly made in the L&D literature.

480
481 From the concept in Figure 3 we learn that L&D in the mountain cryosphere is typically produced as a
482 cascade of impacts, vertically through the different levels (from top to bottom). Cascading impacts and
483 loss can furthermore also be produced horizontally through different types of L&D in the bottom layer of
484 Figure 3, as has also been mentioned in the literature (Tschakert et al. 2017). For example, glacier and
485 snow changes involving seasonal shifts or reduction of water availability may result in loss of crop area and
486 yield of small-scale farmers at high elevations, a reduction of income eventually leading to migration and
487 loss of identity and place. A consequence of cascading and multiple levels of L&D and multi-dimensional
488 driving factors is the challenge to track L&D back to the source and analyze the causal relationships.

489 GLOFs represent another pertinent example of cascading impacts. Associated L&D is often strongly driven
490 by non-climatic factors, such as social, economic or political processes; for instance, increasing exposure
491 of people and assets in flood-prone areas greatly enhances potential L&D. This example shows the close
492 connection of L&D and risk research, where risk is a function of (climatic) hazard, and exposure and
493 vulnerability of assets or people (IPCC 2014), and can be interpreted as the probability of L&D. This risk
494 framework calls for a comprehensive view on L&D and related risks which goes beyond the analysis of

1
2
3
4 495 impacts of climate and cryosphere change and looks into the drivers and people’s coping mechanisms of
5
6 496 risks and L&D. Disaster research has begun to more systematically analyze the root causes of risks and
7
8 497 disasters, an emerging field sometimes termed disaster forensics (Keating et al. 2016). This approach
9
10 498 essentially involves a dynamic rather than a static view on risks. The role of anthropogenic climate change
11
12 499 as a growing driver of risk over time makes a dynamic perspective indispensable for the L&D debate.
13
14 500 However, more research on dynamic changes and drivers of risks is needed, which in general is more
15
16 501 straightforward for exposure (Rimal et al. 2018) than for vulnerability whose changes over time remain
17
18 502 poorly understood (Mechler and Bouwer 2015; Huggel et al. 2015a).
19
20 503 The role of anthropogenic climate change in driving climatic hazards such as heat waves, floods or storms
21
22 504 is a key focus of attribution research (Bindoff et al. 2013), which has also started to adopt the
23
24 505 aforementioned comprehensive risk perspective (Huggel et al. 2013). Only a limited amount of attribution
25
26 506 studies have focused on the mountain cryosphere so far, including attribution of global glacier shrinkage
27
28 507 and GLOF occurrence to climate change (Marzeion et al. 2014; Harrison et al. 2018). Nevertheless, in global
29
30 508 assessment studies the cryosphere has been identified among those systems with the highest confidence
31
32 509 in attribution (Cramer et al. 2014; Hansen and Stone 2016). A stronger connection between disaster and
33
34 510 attribution research may generate important progress and also tangible input to L&D policy. To illustrate
35
36 511 this link we take again the case of GLOF risk or L&D. We would need to analyze how GLOF hazard can be
37
38 512 attributed to anthropogenic emissions through an impact chain from climate change to glacier shrinkage,
39
40 513 lake growth, and flood hazard. Evaluating the contribution of exposure and vulnerability to GLOF risk could
41
42 514 involve aspects such as the historical development and dynamics of residential areas and land-use change
43
44 515 in the exposed areas, and how risk governance, preparedness or early warning were successful or not. We
45
46 516 do not ignore that such an approach is highly challenging and furthermore limited by availability of data,
47
48 517 but even on a semi-quantitative or qualitative basis it may produce important insights.

49 518
50 519
51 520

521 **5 Conclusions and implications for research and policy**

522
523 The mountain cryosphere is one of the most affected systems by climate change, and cryosphere change
524
525 is thus one of the most visible indicators of anthropogenic climate change. Many scholars have studied the
526
527 impacts of cryosphere change on downstream ecosystems and societies but hardly made explicit reference
528
529 to the concept of L&D. Although repeatedly invoked in policy documents, L&D in the mountain cryosphere
530
531 has not been analyzed under a L&D lens in a more systematic way so far.

532
533 Our systematic literature review resulted in the identification of seven distinct categories of L&D for the
534
535 mountain cryosphere and surrounding societies. The categories range from physical damage and loss (of
536
537 lives or natural resources) to economic loss of productivity and revenue, and to less tangible aspects of
538
539 cultural loss. Our findings could be helpful for those working on socio-cryospheric systems and possibly
540
541 also inform L&D policy, as sketched in the following.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

533 To start, we suggest that both L&D science and policy could benefit from a more process- and system-
534 based approach. As we have shown, L&D needs to be tracked along a cascade of impacts (Fig. 3). L&D is a
535 product of physical and social processes and their interactions, in this case in a dynamic socio-cryospheric
536 system. A more precise use of L&D terminology would account for the processes that produce L&D,
537 considering that L&D primarily materializes on the level of social and economic impacts (cf. Fig. 3). A
538 process-based perspective also includes an analysis of the role of mitigation and adaptation and thus can
539 eventually facilitate improved action to reduce or avoid L&D. It is important to identify and further
540 investigate the limits of mitigation and adaptation, in particular the non-physical / technical limits. For the
541 cryosphere, L&D policy and science should take into account the already committed (or unavoidable)
542 change due to the delayed response of glaciers to climate change (Marzeion et al. 2018), which underlines
543 the importance of effective adaptation and the support developing countries need for this purpose.

544
545 Furthermore, our L&D analysis in the mountain cryosphere may contribute to the science and policy
546 discussion of responsibilities and climate justice which underlies and notoriously undermines the L&D
547 policy as discussed previously. As seen in Figure 3 mitigation efforts propagate from climate and
548 cryosphere change to bio-physical impacts and social and economic impacts, with the importance of
549 adaptation proportionally increasing towards social and economic impacts and L&D. To revisit again the
550 GLOF example, even though further glacier shrinkage and lake formation may be unavoidable, loss of lives
551 due to a GLOF will in most cases be avoidable, depending on measures that either protect the exposed
552 human populations or move them out of the hazard zone, or reduce the hazard by draining the lake before
553 a flood even occurs. Our additional category of avoidable L&D accounts for these connections. Due to
554 missing capacities and resources developing countries may need assistance in ensuring that the
555 unavoidable impacts on the cryosphere are effectively managed to avoid societal L&D. Because L&D in the
556 mountain cryosphere affects developing countries more than the developed world, according to the
557 sources analyzed in this study, our analysis underlines the responsibility of developed countries to assist
558 developing countries in reducing or avoiding L&D, through both adaptation and mitigation efforts, which
559 is in line with climate justice discussions (Miller 2008; Wallimann-Helmer 2015). A process-based view
560 deciphering the different levels of L&D (Fig. 3) may help to identify targeted and evidence-based policy
561 approaches.

562
563
564 **Acknowledgements**

565 This study has benefitted from information and discussions produced within the Proyecto Glaciares+ and
566 the Sustainable Mountain Development for Global Change (SMD4GC) Programme of the Swiss Agency for
567 Development and Cooperation (SDC), and the Project AguaFuturo funded by the Swiss National Science
568 Foundation (project no. 205121L_166272). A workshop on loss and damage held in May 2016 in Rotterdam
569 with representatives from science, policy and practice provided further input.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

References

572 Allison EA (2015) The spiritual significance of glaciers in an age of climate change. *Wiley Interdiscip Rev*
573 *Clim Change* 6:493–508. doi: 10.1002/wcc.354

576 Beniston M, Stoffel M, Hill Clarvis M, Quevauviller P (2014) Assessing climate change impacts on the
577 quantity of water in Alpine regions: Foreword to the adaptation and policy implications of the
578 EU/FP7 “ACQWA” project. *Environ Sci Policy* 43:1–4. doi: 10.1016/j.envsci.2014.01.009

579 Bindoff NL PA Stott, KM AchutaRao, MR Allen, N Gillett, D Gutzler, K Hansingo, G Hegerl, Y Hu, S Jain, II
580 Mokhov, J Overland, J Perlwitz, R Sebbari and X Zhang (2013) Detection and Attribution of
581 Climate Change: from Global to Regional. In: Stocker TF D Qin, GK Plattner, M Tignor, SK Allen, J
582 Boschung, A Nauels, Y Xia, V Bex and PM Midgley (ed) *Climate Change 2013: The Physical Science*
583 *Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental*
584 *Panel on Climate Change.* Cambridge University Press, Cambridge, United Kingdom and New
585 York, NY, USA, pp 867–952

586 Boyd E, James RA, Jones RG, Jones RG, Young HR, Otto FL (2017) A typology of loss and damage
587 perspectives. *Nat Clim Change* 7:723–729. doi: 10.1038/nclimate3389

588 Byg A, Salick J (2009) Local perspectives on a global phenomenon—Climate change in Eastern Tibetan
589 villages. *Glob Environ Change* 19:156–166. doi: 10.1016/j.gloenvcha.2009.01.010

590 Calliari E (2016) Loss and damage: a critical discourse analysis of Parties’ positions in climate change
591 negotiations. *J Risk Res* 0:1–23. doi: 10.1080/13669877.2016.1240706

592 Carey M (2005) Living and dying with glaciers: people’s historical vulnerability to avalanches and
593 outburst floods in Peru. *Glob Planet Change* 47:122–134

594 Carey M, McDowell G, Huggel C, Jackson M, Portocarrero C, Reynolds JM and Vicuña L (2014) Integrated
595 approaches to adaptation and disaster risk reduction in dynamic socio-cryospheric systems. In:
596 *Snow and ice-related hazards, risks, and disasters.* In: W. Haeberli, C. Whiteman, J.F.Shroder
597 (Eds.). *Hazards and Disasters Series.* Elsevier, Oxford, UK, pp 221–261

598 Carrivick JL, Tweed FS (2016) A global assessment of the societal impacts of glacier outburst floods. *Glob*
599 *Planet Change* 144:1–16. doi: 10.1016/j.gloplacha.2016.07.001

600 Cramer W, G.W. Yohe, M. Auffhammer, Huggel C, Molau U, Dias MAFS, Solow A, Stone DA, Tibig L (2014)
601 Detection and attribution of observed impacts. In: Field CB, V.R. Barros, D.J. Dokken, et al. (eds)
602 *Climate Change 2014: Impacts, Adaptation, and Vulnerability. Part A: Global and Sectoral*
603 *Aspects. Contribution of Working Group II to the Fifth Assessment Report of the*
604 *Intergovernmental Panel of Climate Change.* Cambridge University Press, Cambridge, United
605 Kingdom and New York, NY, USA, pp 979–1037

606 Diemberger H, Hovden A, Yeh ET (2015) The honour of the snow-mountains is the snow. Tibetan
607 livelihoods in a changing climate. In: *The High-Mountain Cryosphere,* C. Huggel, M. Carey, J.J.
608 Clague and A. Kääb (Eds.). Cambridge University Press, Cambridge and New York, pp 249–271

- 1
2
3
4 609 Evans SG, Bishop NF, Smoll LF, Murillo PV, Delaney KB, Oliver-Smith A (2009) A re-examination of the
5 610 mechanism and human impact of catastrophic mass flows originating on Nevado Huascarán,
6 611 Cordillera Blanca, Peru in 1962 and 1970. *Eng Geol* 108:96–118. doi:
7 612 10.1016/j.enggeo.2009.06.020
8
9
10 613 Fankhauser S, Dietz S, Gradwell P (2014) Non-economic losses in the context of the UNFCCC work
11 614 programme on loss and damage. Centre for Climate Change Economics and Policy, Grantham
12 615 Research Institute on Climate Change and the Environment, Oxford, UK
13
14
15 616 Ford JD, Pearce T (2010) What we know, do not know, and need to know about climate change
16 617 vulnerability in the western Canadian Arctic: a systematic literature review. *Environ Res Lett*
17 618 5:014008. doi: 10.1088/1748-9326/5/1/014008
18
19 619 Haeberli W, Schaub Y, Huggel C (2017) Increasing risks related to landslides from degrading permafrost
20 620 into new lakes in de-glaciating mountain ranges. *Geomorphology* 293:405–417. doi:
21 621 10.1016/j.geomorph.2016.02.009
22
23
24 622 Hansen G, Stone D (2016) Assessing the observed impact of anthropogenic climate change. *Nat Clim*
25 623 *Change* 6:532–537. doi: 10.1038/nclimate2896
26
27 624 Harrison S, Kargel JS, Huggel C, Reynolds JM, Shugar DH, Betts RA, Emmer A, Glasser N, Haritashya UK,
28 625 Klimes J, Reinhard L, Schaub S, Wiltshire A, Regmi D, Vilimek V (2018) Climate change and the
29 626 global pattern of moraine-dammed glacial lake outburst floods. *The Cryosphere* 12:1195–1209.
30 627 doi: 10.5194/tc-12-1195-2018
31
32
33 628 Huggel C, Bresch D, Hansen G, James R, Mechler R, Stone DA, Wallimann-Helmer I (2016a) Attribution of
34 629 irreversible loss to anthropogenic climate change. In: EGU General Assembly Conference
35 630 Abstracts. p 8557
36
37
38 631 Huggel C, Raissig A, Rohrer M, Romero G, Diaz A, Salzmann N (2015a) How useful and reliable are
39 632 disaster databases in the context of climate and global change? A comparative case study
40 633 analysis in Peru. *Nat Hazards Earth Syst Sci* 15:475–485. doi: 10.5194/nhess-15-475-2015
41
42 634 Huggel C, Stone D, Auffhammer M, Hansen G (2013) Loss and damage attribution. *Nat Clim Change*
43 635 3:694–696. doi: 10.1038/nclimate1961
44
45
46 636 Huggel C, Stone D, Eicken H, Hansen G (2015b) Potential and limitations of the attribution of climate
47 637 change impacts for informing loss and damage discussions and policies. *Clim Change* 133:453–
48 638 467. doi: 10.1007/s10584-015-1441-z
49
50 639 Huggel C, Wallimann-Helmer I, Stone D, Cramer W (2016b) Reconciling justice and attribution research
51 640 to advance climate policy. *Nat Clim Change* 6:901–908. doi: 10.1038/nclimate3104
52
53
54 641 Huss M, Bookhagen B, Huggel C, Jackobsen D, Bradley RS, Clague JJ, Vuille M, Buytaert W, Cayan DR,
55 642 Greenwood G, Mark BG, Milner AM, Weingartner R, Winder M (2017) Toward mountains
56 643 without permanent snow and ice. *Earths Future* 2016EF000514. doi: 10.1002/2016EF000514
57
58 644 IPCC (2014) *Climate Change 2014: Synthesis Report. Contribution of Working Groups I, II and III to the*
59 645 *Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Core Writing Team,*
60 646 *R.K. Pachauri and L.A. Meyer (eds.)]. IPCC, Geneva, Switzerland*

- 1
2
3
4 647 James R, Jones RG, Boyd E, Young HR, Otto FEL, Huggel C, Fuglestedt JS (2018) Attribution: how is it
5 648 relevant for Loss and Damage policy and practice? In: Loss and Damage from Climate Change:
6 649 Concepts, Methods and Policy Options. Mechler, R., Bouwer, L., Schinko, T., Surminski, S.,
7 650 Linneroth-Bayer, J. (Eds.). Springer International Publishing
9
10 651 James R, Otto F, Parker H, Boyd, E, Cornforth R, Mitchell D, Allen M (2014) Characterizing loss and
11 652 damage from climate change. *Nat Clim Change* 4:938–939. doi: 10.1038/nclimate2411
12
13 653 Johannesson T, Raymond CF, Waddington ED (1989) A simple method for determining the response time
14 654 of glaciers. p 343
16
17 655 Jurt C, Brugger J, Dunbar KW, Milch K, Orlove B (2015a) Cultural values of glaciers. In: *The High-Mountain*
18 656 *Cryosphere*, C. Huggel, M. Carey, J.J. Clague and A. Käab (Eds.). Cambridge University Press,
19 657 Cambridge and New York, pp 90–106
20
21 658 Jurt C, Burga MD, Vicuña L, Huggel C, Orlove B (2015b) Local perceptions in climate change debates:
22 659 insights from case studies in the Alps and the Andes. *Clim Change* 133:511–523. doi:
23 660 10.1007/s10584-015-1529-5
25
26 661 Keating A, Venkateswaran K, Szoenyi M, MacClune K, Mechler R (2016) From event analysis to global
27 662 lessons: disaster forensics for building resilience. *Nat Hazards Earth Syst Sci* 16:1603–1616. doi:
28 663 10.5194/nhess-16-1603-2016
30
31 664 Kraaijenbrink PDA, Bierkens MFP, Lutz AF, Immerzeel WW (2017) Impact of a global temperature rise of
32 665 1.5 degrees Celsius on Asia’s glaciers. *Nature* 549:257–260. doi: 10.1038/nature23878
33
34 666 Laurans Y, Rankovic A, Billé R, Pirard R, Mermet L (2013) Use of ecosystem services economic valuation
35 667 for decision making: Questioning a literature blindspot. *J Environ Manage* 119:208–219. doi:
36 668 10.1016/j.jenvman.2013.01.008
38
39 669 Lees E (2017) Responsibility and liability for climate loss and damage after Paris. *Clim Policy* 17:59–70.
40 670 doi: 10.1080/14693062.2016.1197095
41
42 671 Mace MJ, Verheyen R (2016) Loss, Damage and Responsibility after COP21: All Options Open for the
43 672 Paris Agreement. *Rev Eur Comp Int Environ Law* 25:197–214. doi: 10.1111/reel.12172
44
45 673 Marzeion B, Cogley JG, Richter K, Parkes D (2014) Attribution of global glacier mass loss to anthropogenic
46 674 and natural causes. *Science* 345:919–921. doi: 10.1126/science.1254702
48
49 675 Marzeion B, Kaser G, Maussion F, Champollion N (2018) Limited influence of climate change mitigation
50 676 on short-term glacier mass loss. *Nat Clim Change* 8:305–308. doi: 10.1038/s41558-018-0093-1
51
52 677 Mayring P (2014) Qualitative content analysis: theoretical foundation, basic procedures and software
53 678 solution. URN: <http://nbn-resolving.de/urn:nbn:de:0168-ssoar-395173>, Klagenfurt
55
56 679 McDowell G, Stephenson E, Ford J (2014) Adaptation to climate change in glaciated mountain regions.
57 680 *Clim Change* 126:77–91. doi: 10.1007/s10584-014-1215-z
58
59
60
61
62
63
64
65

1
2
3
4 681 Mechler R, Bouwer LM (2015) Understanding trends and projections of disaster losses and climate
5 682 change: is vulnerability the missing link? *Clim Change* 133:23–35. doi: 10.1007/s10584-014-1141-
6 683 0
7
8
9 684 Miller D (2008) Global justice and climate change: How should responsibilities be distributed. *Tann Lect*
10 685 *Hum Values* 28:1–128
11
12 686 Morrissey J, Oliver-Smith A (2013) Perspectives on non-economic loss and damage. Understanding
13 687 values at risk from climate change. Edited by Koko Warner and Sönke Kreft. United Nations
14 688 University, Bonn, Germany
15
16
17 689 Okereke C, Baral P, Dagnet Y (2014) Options for adaptation and loss & damage in a 2015 climate
18 690 agreement. In: Working Paper. Agreement for Climate Transformation 2015 (ACT15),
19 691 Washington D.C., p 19 pp.
20
21 692 Paul F, Bolch T, Kääb A, Nagler T, Nuth C, Scharrer K, Shepherd A, Strozzi T, Ticconi F, Bhambri R, Berthier
22 693 E, Benven S, Gourmelen N, Heid T, Jeong S, Kunz M, Lauknes TR, Luckman A, Merryman Bonconi
23 694 J, Moholdt G, Muir A, Neelmeijer J, Rankl M, VanLooy J, Van Niel J (2013) The glaciers climate
24 695 change initiative: Methods for creating glacier area, elevation change and velocity products.
25 696 *Remote Sens Environ*. doi: 10.1016/j.rse.2013.07.043
26
27
28 697 Rangecroft S, Suggitt AJ, Anderson K, Harrison S (2016) Future climate warming and changes to mountain
29 698 permafrost in the Bolivian Andes. *Clim Change* 137:231–243. doi: 10.1007/s10584-016-1655-8
30
31
32 699 Rimal B, Zhang L, Keshtkar H, Sun X, Rijal S (2018) Quantifying the Spatiotemporal Pattern of Urban
33 700 Expansion and Hazard and Risk Area Identification in the Kaski District of Nepal. *Land* 7:37. doi:
34 701 10.3390/land7010037
35
36 702 Saldaña J (2015) The coding manual for qualitative researchers, 2nd edition. Sage Publications, London,
37 703 UK
38
39
40 704 Schauwecker S, Rohrer M, Huggel C, Endries J, Montoya N, Neukom R, Perry B, Salzmann N, Schwarb M,
41 705 Suarez W (2017) The freezing level in the tropical Andes, Peru: an indicator for present and
42 706 future glacier extents. *J Geophys Res Atmospheres* 2016JD025943. doi: 10.1002/2016JD025943
43
44 707 Serdeczny O, Waters E, Chan S (2016) Non-economic loss and damage in the context of climate change.
45 708 German Development Institute (DIE), Bonn
46
47
48 709 Serdeczny OM, Bauer S, Huq S (2018) Non-economic losses from climate change: opportunities for
49 710 policy-oriented research. *Clim Dev* 10:97–101. doi: 10.1080/17565529.2017.1372268
50
51 711 Stäubli A, Nussbaumer SU, Allen SK, Huggel C, Arguello M, Costa F, Hergarten C, Martínez R, Soto J,
52 712 Vargas R, Zambrano E, Zimmermann M (2017) Analysis of weather- and climate-related disasters
53 713 in mountain regions using different disaster databases. In: *Climate Change, Extreme Events and*
54 714 *Disaster Risk Reduction*. S. Mal, R.B. Singh, C. Huggel (Eds.). Springer
55
56
57 715 Thorsteinsson T, Jóhannesson T, Snorrason Á (2013) Glaciers and ice caps: Vulnerable water resources in
58 716 a warming climate. *Curr Opin Environ Sustain* 5:590–598. doi: 10.1016/j.cosust.2013.11.003
59
60
61
62
63
64
65

1
2
3
4 717 Tschakert P, Barnett J, Ellis N, Lawrence C, Tuana N, New M, Elrick-Barr C, Pandit R, Pannell D (2017)
5 718 Climate change and loss, as if people mattered: values, places, and experiences. Wiley Interdiscip
6 719 Rev Clim Change. doi: 10.1002/wcc.476
7
8
9 720 UNFCCC (2012) Slow onset events. United Nations Framework Convention on Climate Change (UNFCCC).
10 721 Technical paper, FCCC/TP/ 2012/7
11
12 722 UNFCCC (2013) Non-economic losses in the context of the work programme on loss and damage. United
13 723 Nations Framework Convention on Climate Change (UNFCCC). Technical paper, FCCC/TP/
14 724 2013/2.
15
16
17 725 Vanhala L, Hestbaek C (2016) Framing Climate Change Loss and Damage in UNFCCC Negotiations. Glob
18 726 Environ Polit 16:111–129. doi: 10.1162/GLEP_a_00379
19
20 727 Vaughan DG, JC Comiso, I Allison, J Carrasco, G Kaser, R Kwok, P Mote, T Murray, F Paul, J Ren, E Rignot, O
21 728 Solomina, K Steffen and T Zhang (2013) Observations: Cryosphere. In: Stocker TF, Qin, GK
22 729 Plattner, M Tignor, SK Allen, J Boschung, A Nauels, Y Xia, V Bex and PM Midgley (ed) Climate
23 730 Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth
24 731 Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University
25 732 Press, Cambridge, United Kingdom and New York, NY, USA, pp 317–382
26
27
28 733 Verheyen R (2012) Tackling Loss & Damage—A New Role for the Climate Regime. Clim Dev Knowl Netw
29
30 734 Verheyen R, Roderick P (2008) Beyond Adaptation—The legal duty to pay compensation for climate
31 735 change damage. WWF-UK, Panda House, Weyside Park Godalming, Surrey GU7 1XR
32
33
34 736 Vuille M, Carey M, Huggel C, Buytaert W, Rabatel A, Jacobsen D, Soruco A, Villacis M, Yarleque C, Timm
35 737 OE, Condom T, Salzmann N, Sicart J-E (2017) Rapid decline of snow and ice in the tropical Andes
36 738 – Impacts, uncertainties and challenges ahead. Earth-Sci Rev. doi:
37 739 10.1016/j.earscirev.2017.09.019
38
39
40 740 Wallimann-Helmer I (2015) Justice for climate loss and damage. Clim Change 133:469–480. doi:
41 741 10.1007/s10584-015-1483-2
42
43 742 Warner K, van der Geest K (2013) Loss and damage from climate change: local-level evidence from nine
44 743 vulnerable countries. Int J Glob Warm 5:367–386. doi: 10.1504/IJGW.2013.057289
45
46
47 744
48
49 745
50 746
51 747
52
53
54
55
56
57
58
59
60
61
62
63
64
65

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

Figure captions and Table

748
749
750 Figure 1 Geographic distribution of the publications per major mountain range. The Greater Himalaya
751 region includes the Himalaya, Pamir, Karakoram, Hindukusk, Hengduam and Kunlun mountains. Tien
752 Shan+ includes several other Chinese mountain ranges.

753
754 Figure 2: Relation between the type of events and the categories of loss and damage as defined in Table
755 1.

756
757 Figure 3: Conceptual approach of cascading impacts in the mountain cryosphere resulting in loss and
758 damage (L&D). The first level represents the physical effects of climatic change on the mountain
759 cryosphere while the second level shows the associated bio-physical impacts with a timescale indicating
760 sudden-onset to slow-onset processes (from left to right). The third level outlines a number of resulting
761 L&D where grey shading refers to non-economic L&D and white to economic L&D. Processes and L&D
762 represent examples and not a complete list. The wedges on the right indicate that the varying importance
763 of climate mitigation and adaptation for the respective level in view of reducing or avoiding L&D.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

769 Table 1: The table provides a rationale for the broader categories of loss and damage (L&D) originating
 770 from cryosphere impacts. The first column lists the impacts as established before and during the coding
 771 process based on the whole body of selected literature. The second column shows the final identified L&D
 772 categories. It is possible that the same impact may fall under more than one category.
 773

Categories established before and during the coding	Final (grouped) category of loss and damage
Cultural and lifestyle changes; loss of identity; loss of self-determination and influence; emotional and psychological losses; loss in cultural, spiritual and recreational landscape.	Cultural loss and damage
General loss of and damage to livelihoods reflecting mainly the resource basis of rural communities, such as shift away from traditional livelihoods (horticulture and pastoralism); damage to subsistence farming; loss of cultivable land; loss of yields.	Loss of and damage to livelihoods
Loss (including temporary) of and damage to any type of income, productivity, and investment potential which results in reduced economic prosperity and development. These include loss of revenue from tourism; reduced energy generation (e.g. hydropower and mining); reduced agricultural productivity; loss of yield; loss of revenue from cultivable land; general losses of any type of revenue and productivity from economic sectors depending on water.	Loss and damage to productivity and revenue
Reduced water access, availability and supply (both upstream and downstream); reduced water quality; shortages of drinking water; loss of and damage to ecosystem services; loss of habitat and biodiversity; damage to forest resources and loss of forest fertility.	Damage to and loss of natural resources
Loss of human lives	Loss of lives
Adoption of a long-term perspective rather than the chaos originating after a sudden event. It includes loss of order in the world; conflict over water access; decreased security from hazard impacts; social instability and conflicts loss of water security; conflicts over water supply; conflicts over water allocations	Loss of security and social order
Primarily physical damage from cryosphere related hazards to people, infrastructures and society, such	Damage to people and assets

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

as destruction and disruption of properties and infrastructures; damage to farmland; damage to agricultural land; widespread damage to downstream communities; damage to roads and bridges, farmlands and various buildings.	
--	--

774
775
776
777

Reponse to editor and review comments (second revision)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

Dear Editors, dear Ben and Christopher,

Thank you for the exchange we had on the language issues. Based on that we have now thoroughly gone again through the manuscript and revised the text where considered appropriate and necessary.

We have also corrected the abbreviations in the figures, figure captions and table (caption).

With this I believe we have completed all necessary and requested revisions.

Best wishes,

Christian

Figure 1




Figure 2





Figure 3





Click here to access/download

Electronic Supplementary Material
huggel_etal_supplement_revised.docx

